CONTENTS

Special issue: Mechanism of enzymic plycoside hydrolysis and of plycosyl transfer

Special issue. Mechanism of enzymic glycoside nydrolysis and of glycosyl transfe	,
Foreword	
Mechanism of enzymic glycoside hydrolysis and of glycosyl transfer by glycosidases and glycosyl- transferases	
G. Legler (Köln, Germany)	vii
Synthesis and evaluation of diastereoisomeric alkylating pseudo-disaccharides as potential affin-	
ity reagents for trehalase E. Bar-Guilloux (Caen, France), J. Defaye (Grenoble, France), J. Lehmann (Freiburg,	
Germany), R. Nardin (Grenoble, France), D. Robic (Paris, France) and K. Urbahns (Freiburg, Germany)	1
(Fictoring, Germany)	
β-Galactosidases of Escherichia coli with substitutions for Glu-461 can be activated by nucle- ophiles and can form β-D-galactosyl adducts	
R.E. Huber and P.T. Chivers (Calgary, AB, Canada)	9
Synthese von 2-Acetamido-1,4-imino-1,2,4-tridesoxy-D-galaktitol und kompetitive Inhibition der humanen lysosomalen β-Hexosaminidase A	
B. Liessem, A. Giannis, K. Sandhoff and M. Nieger (Bonn, Deutschland)	19
Competitive inhibition of glycoside hydrolases by 1,3-diamino-1,3-dideoxy-tetritols and their cyclic carbonic and thiocarbonic amides	
R. Jiricek, J. Lehmann, B. Rob and M. Scheuring (Freiburg, Germany)	31
Hydrolysis of α - and β -D-glucosyl fluoride by individual glucosidases: new evidence for separately controlled "plastic" and "conserved" phases in glycosylase catalysis	
H. Matsui, Y. Tanaka, C.F. Brewer, J.S. Blanchard and E.J. Hehre (Bronx, NY, USA)	45
Transglycosylation reaction of maltotriose-forming amylase from Streptomyces griseus T. Usui, T. Murata, Y. Yabuuchi and K. Ogawa (Shizuoka, Japan)	57
The state of the s	
2,5-Dideoxy-2,5-imino-p-mannitol and -p-glucitol. Two-step bio-organic syntheses from 5-azido- 5-deoxy-p-glucofuranose and -L-idofuranose; evaluation as glucosidase inhibitors and application in affinity purification and characterisation of invertase from yeast	
G. Legler, A. Korth (Köln, Germany), A. Berger, C. Ekhart, G. Gradnig and A.E. Stütz (Graz, Austria).	67
Hydrolysis of glycosylpyridinium ions by anomeric-configuration-inverting glycosidases B. Padmaperuma and M.L. Sinnott (Chicago, IL, USA)	79
Substanta recognition by appulationaridate application of conformationally bired in the district of the standard standar	
Substrate recognition by amyloglucosidase: evaluation of conformationally biased isomaltosides M.M. Palcic (Edmonton, AB, Canada), T. Skrydstrup, K. Bock, N. Le and R.U. Lemieux	
(Copenhagen, Denmark)	87

N-Substituted (β-D-galactopyranosylmethyl)amines as reversible inhibitors of β-D-galactosidase J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers, M.M. Santoro (Carbondale, IL, USA) and M.P. Yadav (West Lafayette, IN, USA)					
Suicide-substrate inactivation of β-galactosidase by diazomethyl β-D-galactopyranosyl ketone J.N. BeMiller (West Lafayette, IN, USA), R.J. Gilson, R.W. Myers and M.M. Santoro (Carbondale, IL, USA)	101				
Configurationally selective transition state analogue inhibitors of glycosidases. A study with nojiritetrazoles, a new class of glycosidase inhibitors					
P. Ermert, A. Vasella (Zürich, Switzerland), M. Weber, K. Rupitz and S.G. Withers (Vancouver, BC, Canada)	113				
Chemoenzymic synthesis of sialylated and fucosylated oligosaccharides having an N-acetyllacto- saminyl core					
M.A. Kashem, K.B. Wlasichuk, J.M. Gregson and A.P. Venot (Edmonton, AB, Canada))129				
Use of human-milk fucosyltransferase in the chemoenzymic synthesis of analogues of the sialyl Lewis* and sialyl Lewis* tetrasaccharides modified at the C-2 position of the reducing unit					
P.V. Nikrad, M.A. Kashem, K.B. Wlasichuk, G. Alton and A.P. Venot (Edmonton, AB, Canada)	145				
Aminosubstituted α -D-glucosylmethylbenzenes (benzyl α -C-glucosides) and an N -(C - α -D-glucosylmethyl)aniline (anilinomethyl α -C-glucoside); novel α -D-glucosidase inhibitors H. Dietrich and R.R. Schmidt (Konstanz, Germany)	161				
Notes					
Chemical modification of the sugar moiety of methyl acarviosin: synthesis and inhibitory activity of eight analogues containing a 1,6-anhydro bridge S. Ogawa and D. Aso (Yokohama, Japan)	177				
Synthesis and inhibition studies of C-(D-glycopyranosyl)methylamines					
W. Lai and O.R. Martin (Binghamton, NY, USA)	185				
N-Bromoacetyl-glycopyranosylamines as affinity labels for a β -glucosidase and a cellulase T.S. Black, L. Kiss, D. Tull and S.G. Withers (Vancouver, BC, Canada)	195				
End of Special issue					
Regular papers					
NMR studies of molybdate complexes of D-allose, D-altrose, D-gulose, and D-idose M. Matulová and V. Bílik (Bratislava, Slovakia)	203				
Synthesis of 2,3-di- O -glycosyl derivatives of methyl α - and β -D-glucopyranoside N.E. Nifant'ev, V.Y. Amochaeva, A.S. Shashkov and N.K. Kochetkov (Moscow, Russian Federation)	211				
Wittig reaction of unprotected puldopentores with atabilized dilder matel in affine					
Wittig reaction of unprotected D-aldopentoses with stabilized ylides: metal-ion effects D. Horton and D. Koh (Columbus, OH, USA)	231				

Contents	/ Carbohydr.	Doc	250 (1002)	C15_C17
Contents	Carbonyar.	res.	230 (1992)	C13-C1/

Subject index

C17

Stereocontrol in Diels-Alder cycloaddition to unsaturated sugars: reactivities of acyclic seven-	
carbon trans dienophiles derived from aldopentoses	
D. Horton and D. Koh (Columbus, OH, USA)	249
Stereocontrol in Diels-Alder cycloaddition to unsaturated sugars: reactivities of cis-dienophiles with cyclopentadiene	
D. Horton, D. Koh and Y. Takagi (Columbus, OH, USA)	261
Studies of O-specific polysaccharide chains of <i>Pseudomonas solanacearum</i> lipopolysaccharides consisting of structurally different repeating units N.A. Kocharova, Y.A. Knirel, A.S. Shashkov, N.E. Nifant'ev, N.K. Kochetkov (Moscow, Russian Federation) L.D. Varbanets, N.V. Moskalenko, O.S. Brovarskaya, V.A. Muras	
(Kiev, Ukraine) and J.M. Young (Auckland, New Zealand)	275
Chemical structure and conformational features of cell-wall polysaccharides isolated from Aphanoascus mephitalus and related species	
J. Jiménez-Barbero, M. Bernabé, J.A. Leal, A. Prieto and B. Gómez-Miranda (Madrid,	
Spain)	289
High-performance gel-permeation chromatography of chitosan samples	
M. Terbojevich, A. Cosani (Padova, Italy) B. Focher (Milano, Italy) and E. Marsano	
(Genova, Italy)	301
Notes	
Synthesis of the 3-deoxy-3-C-(phosphonomethyl) analogue of 1D-myo-inositol 3-(dihydrogen- phosphate)	
S.C. Johnson, F. Tagliaferri and D.C. Baker (Knoxville, TN, USA)	315
Reactions of 2-methyl-5-(D-arabino-tetrahydroxybutyl)-3-furoylhydrazine	
M.M. El Sadek, N.B. Zagzoug and N.N. El Soccary (Alexandria, Egypt)	323
Preparation of hexopyranose 2-tosylates and their facile conversion into 1,2-anhydro hexopyra- noses by internal displacement	
E. Wu and Q. Wu (Beijing, People's Republic of China)	327
Primary structure of the polysaccharide chain of virulent <i>Pseudomonas solanacearum</i> biotype II lipopolysaccharide	
T. Bhattacharyya and S. Basu (Calcutta, India)	335
Preliminary communication	
A facile and regioselective synthesis of partially benzoylated 3',4'-O-isopropylidene-β-lactosides as standardized key intermediates for sialyl Lewis X (sLe ^X) analogues	
M.A. Nashed and J.H. Musser (Alameda, CA, USA)	Cı
Erratum	C5
Book review	C7
Author index	C9